

1/19




Fig. 1

2/19




Fig. 2




Fig. 3

4/19




Fig. 4A




Fig. 4B

6/19




Fig. 5

7/19




Fig. 6



$Q1(n-1)$	$Q0(n-1)$	$FH1'$	$FH0'$	$Q1$	$Q0$
0	0	0	0	0	1
0	0	0	1	1	1
0	0	1	0	0	0
0	0	1	1	0	0
0	1	0	0	0	1
0	1	0	1	1	0
0	1	1	0	0	1
0	1	1	1	0	0
1	0	0	0	1	0
1	0	0	1	1	0
1	0	1	0	0	1
1	0	1	1	1	1
1	1	0	0	1	0
1	1	0	1	1	1
1	1	1	0	0	0
1	1	1	1	1	1

Fig. 8

10/19




Fig. 9

11/19




Fig. 10

12/19




Fig. 11A




Fig. 11B

14/19




Fig. 11C




Fig. 11D

16/19




Fig. 12

Title: METHOD AND APPARATUS THAT REDUCES
JITTER IN A DISPLAY BY PROVIDING TEMPORAL
HYSTERESIS

Inventor: Andy Morrish

Attorney Docket No.: 50019.69US01/P04969

17/19




Fig. 13

18/19




Fig. 14




Fig. 15